

Product Presentation Backhoe Loader



Backhoe Loader



Applications

- Rental
- Municipalities
- Commercial Construction
- Residential Construction
- Paving/Roadbuilding
- Utilities

Work index

Load/Carry



Dig



Push/Pull



Transport



Lift



Camso Tire Lineup Backhoe Loader Tires



Camso
BHL 532



Camso
SL R4



Camso
BHL 732



Camso
BHL 753



Camso
BHL 573



Camso
MPT 773

Bias



Camso BHL 532



CONTINUOUS MULTI-ANGLE TREAD LUGS

- Minimizes vibrations for improved ride quality


ENGINEERED LOW-VIBRATION TREAD DESIGN

- Minimizes vibrations for improved ride quality

HAULER STEPPED TREAD DESIGN

- Improves self-cleaning and stone ejection for excellent traction

TYRE SIZE	ALTERNATIVE SIZE	PR	O.T.D. [mm] [32 nd inch]	LOAD INDEX	SPEED SYMBOL	INFLATION PRESSURE [bar] [PSI]
12.5/80-18 IMP (320/80-18)	-	12	24 (30)	142	A8	3.7 (54)
14.9-24 IND	-	12	22 (28)	145	A8	2.9 (42)
16.9-24 IND (440/80-24; 16.5/85-24)	-	12	22 (28)	149	A8	2.6 (38)
19.5L-24 (500/70-24)	-	12	26 (33)	151	A8	2.3 (33)
18.4-26 IND (480/80-26)	-	12	25 (31)	156	A8	2.5 (36)
16.9-28 IND (440/80-28)	-	12	28 (35)	152	A8	2.6 (38)



Camso MPT 732



MASSIVE DIRECTIONAL TREAD LUGS WITH EXTENDED CENTRE BLOCKS

- Maximizes off-road traction and durability

WRAPAROUND STEPPED TREAD DESIGN

- Maximizes tread cleanout for best off-road traction




EXTRA THICK VOID GUARD

- Maximizes tread impact protection to reduce risk of punctures

HEAVY-DUTY SIDEWALL WITH ENHANCED RIM PROTECTION

- Provides enhanced sidewall and rim flange protection, reducing impact damage and flat tires

TYRE SIZE	ALTERNATIVE SIZE	PR	O.T.D. [mm] [32 nd inch]	LOAD INDEX	SPEED SYMBOL	INFLATION PRESSURE [bar] [PSI]
320/80-18 IND (12.5/80-18)	-	-	18 (23)	139	A8	4.00 (58)
340/80-18 IND (12.5-18 ; 335/80-18)	-	-	22 (28)	143	A8	4.00 (58)
400/70-20 IND (405/70-20; 16.0/70-20)	-	-	31 (39)	149	A8	4.00 (58)
440/80-24 IND (16.9-24 ; 16.5/85-24)	-	-	26 (33)	154	A8	3.20 (46)
500/70-24 IND (19.5L-24)	-	-	25 (31)	157	A8	3.20 (46)
480/80-26 IND (18.4-26)	-	-	37 (29)	160	A8	3.20 (46)
440/80-28 IND (16.9-28)	-	-	35 (44)	156	A8	3.20 (46)



Camso SL R4



HEAVY-DUTY CARCASS

- Improves stability and side impact resistance

HAULER STEPPED TREAD DESIGN


- Improves self-cleaning and stone ejection for excellent traction



OPTIMIZED LUG-TO-VOID RATIO WITH EXTRA-DEEP TREAD

- Increases tread life and off-road traction

TYRE SIZE	ALTERNATIVE SIZE	PR	O.T.D. [mm] [32 nd inch]	LOAD INDEX	SPEED SYMBOL	INFLATION PRESSURE [bar] [PSI]
12.5/80-18	-	12	29 (39)	127 – 142	A8	3.7 (54)
12.5/80-18	-	14	29 (37)	134 – 146	A8	4.3 (62)
14.9-24	-	12	29 (37)	145	A8	2.9 (42)
16.9-24	-	12	23 (29)	149	A8	2.9 (42)
19.5L-24	-	12	28 (35)	151	A8	2.3 (33)
18.4-26	-	12	28 (35)	156	A8	2.5 (36)
16.9-28	-	12	33 (42)	152	A8	2.6 (38)
18.4-28	-	12	39 (49)	157	A8	2.5 (36)



Camso BHL 753



NON-DIRECTIONAL TREAD PATTERN WITH HIGH LUG-TO-VOID RATIO

- Ensures even tread wearing for greater durability

OPTIMIZED, CONTINUOUS-CONTACT TREAD PATTERN

- Significantly reduces vibration for improved ride quality




NON-DIRECTIONAL TREAD PATTERN WITH HIGH LUG-TO-VOID RATIO

- Protects against tread impacts and punctures

TAPERED TREAD LUGS

- Improves lug stability for even wearing

TYRE SIZE	ALTERNATIVE SIZE	PR	O.T.D. [mm] [32 nd inch]	LOAD INDEX	SPEED SYMBOL	INFLATION PRESSURE [bar] [PSI]
12-16.5 NHS	N/A	12	18 (23)	145	A2	5.50 (80)
12.5/80-18 IMP	320/80-18	12	23 (29)	142 / 128	A8	3.70 (54)
19.5L-24 IND	500/70-24	12	25 (31)	151	A8	2.30 (33)
21L-24 IND NEW	540/70-24	tbc	tbc	tbc	A8	tbc
18.4-26 IND	480/80-26	12	25 (31)	156	A8	2.50 (36)
16.9-28 IND	440/80-28	12	28 (35)	152	A8	2.60 (38)



Camso BHL 573



ENGINEERED TREAD DESIGN

- Provides a smooth ride and effective steering

SELF-CLEANING STEPPED TREAD

- Maximizes cleanout for improved off-road traction




IMPACT GUARD SIDEWALL DESIGN

- Deflects debris to better protect sidewalls and reduce stress cracking

HIGH LUG-TO-VOID RATIO

- Provides excellent durability and tread impact resistance

TYRE SIZE	ALTERNATIVE SIZE	PR	O.T.D. [mm] [32 nd inch]	LOAD INDEX	SPEED SYMBOL	INFLATION PRESSURE [bar] [PSI]
9.00-16	-	16	21 (26)	137	A6	7.25 (105)



Camso BHL 573 - features



Innovative Tread Design
Consistency between front and rear tire




Hauler steps
Improved self cleaning



Size in tread
Easy recognizability in stock




Reversed sidewall
Deflecting debris away from sidewall



Sidewall traction
Improved off-road traction



Rim guard
Better protection of the wheel



Camso MPT 773



ENGINEERED MONO-BLOCK TREAD DESIGN

- Provides resistance against rubber chipping and chunking

SELF-CLEANING STEPPED TREAD

- Maximizes cleanout for improved off-road traction




IMPACT GUARD SIDEWALL DESIGN

- Deflects debris to better protect sidewalls and reduce stress cracking

HIGH LUG-TO-VOID RATIO


- Provides excellent durability and tread impact resistance

TYRE SIZE	ALTERNATIVE SIZE	PR	O.T.D. [mm] [32 nd inch]	LOAD INDEX	SPEED SYMBOL	INFLATION PRESSURE [bar] [PSI]
14.00-25	-	12	30 (38)	172 – 150	A2 – B	4.25 (62) – 2.75 (40)
14.00-25	-	20	30 (38)	182 – 161	A2 – B	7.00 (102) – 4.75 (69)




Camso MPT 773 - feature


Hauler steps
Improved self cleaning



Center bar
Improved stability




Size in tread
Easy recognizability in stock



Reversed sidewall
Deflecting debris away from sidewall



Sidewall traction
Improved off-road traction



Rim guard
Better protection of the wheel




Camso Backhoe Loader pattern



A versatile backhoe tire solution

- providing
- Great off-road traction
- Reduces vibrations
- Better driving comfort


BHL 532



Heavy-duty solution delivering

- Enhanced durability
- Enhanced traction
- Side impact resistance
- Excellent performance


SL R4



The ultimate backhoe tyre solution provides

- Deepest traction tread
- Enhanced protective features
- Maximize durability in softer conditions


MPT 732



A premium backhoe solution designed to promote

- Even tread wearing
- Reduced vibration on mixed hard surfaces
- Better comfort
- Long tyre life


BHL 753



Camso Backhoe Loader pattern


BHL 573

- Excellent durability and stability on hard surface.
- Protects from chipping and chunking in abrasive and rocky settings



MPT 773

- Excellent durability and stability on hard surface.
- Protects from chipping and chunking in abrasive and rocky settings





Thank You.